

# URBANITE

SILK

Through Body  
Porcelain Floor  
& Wall Tile

floridatile

# URBANITE


BY floridatile

**SILK**


Each of the five colors in the Urbanite range is the result of mixing colored atomized powders, obtained using technology patented by Florida Tile, world leader in innovation and research in the field of floor and wall tiles. This is a patented design that safeguards Florida Tile from any type of imitation; it has a unique surface, smooth to the touch and extraordinarily natural, obtained using a final dry application of a compound quartziferous silico, directly on the decoration line, to achieve an exclusive effect that Florida Tile is launching on the market today under the name of **SILK**. The transparency of the decoration enhances the richness of the mix and the brilliance of powders used in the body. Urbanite: living materials.




modular patterns




8x24 - 40%  
12x24 - 60%




8x24 - 40%  
12x24 - 60%




12x12 - 20%  
24x24 - 80%




8x24 - 57%  
12x24 - 43%




12x12 - 14.3%  
12x24 - 28.5%  
24x24 - 57.2%



8x24 - 18.2%  
12x24 - 27.3%  
24x24 - 54.5%



12x12 - 21.4%  
8x24 - 14.3%  
12x24 - 21.4%  
24x24 - 42.9%



12x12 - 9.6%  
8x24 - 13%  
12x24 - 38.7%  
24x24 - 38.7%



23821 M12, 8x24, 24x24 Stone

through body porcelain floor & wall tile 12 x 12 • 18 x 18 • 8 x 24 • 12 x 24 • 24 x 24 (All sizes are Rectified)



23821 Stone



23821 Stone



23821/M12 Stone



23821A/L3.5x24 Stone Rays Listello



23821C/L6x18 Stone Stratus Listello



23821B/L8x24 Stone Moon Listello



23821 Stone Cove Base & Corner



2380A/L1.25x12 Stone Trek Listello



2380B/L1.25x12 Stone Reed Listello

Shown on front: 23882 12x12, 8x24, 24x24 Clay



23835 8x24 Gild

through body porcelain floor & wall tile 12 x 12 • 18 x 18 • 8 x 24 • 12 x 24 • 24 x 24 (All sizes are Rectified)



23835 Gild



23835 Gild




23835/M12 Gild



23835A/L3.5x24 Gild Rays Listello



23835B/L8x24 Gild Moon Listello



23835 Gild Cove Base & Corner



23835C/L6x18 Gild Stratus Listello



2381A/L1.25x12 Gild Trek Listello



2381B/L1.25x12 Gild Reed Listello



2381 I 8x24, 12x24 Concrete

through body porcelain floor & wall tile 12 x 12 • 18 x 18 • 8 x 24 • 12 x 24 • 24 x 24 (All sizes are Rectified)



2381 I Concrete



2381 I Concrete



2381 I/M12 Concrete



2381 I A/L3.5x24 Concrete Rays Listello



2381 I B/L8x24 Concrete Moon Listello



2381 I Concrete Cove Base & Corner



2381 I C/L6x18 Concrete Stratus Listello

23800/L1/2x24 Metalico Liner



2382A/L1.25x12 Concrete/Carbon Trek Listello

2382B/L1.25x12 Concrete/Carbon Reed Listello

CARBON



23805 8x24, 12x12, 24x24 Carbon


through body porcelain floor & wall tile 12 x 12 • 18 x 18 • 8 x 24 • 12 x 24 • 24 x 24 (All sizes are Rectified)



23805 Carbon



23805 Carbon



23805/M12 Carbon



23805C/L6x18 Carbon Stratus Listello



23805A/L3.5x24 Carbon Rays Listello



2382A/L1.25x12 Concrete/Carbon Trek Listello



23805B/L8x24 Carbon Moon Listello



23805 Carbon Cove Base & Corner



23800/L1/2x24 Metalico Liner



2382B/L1.25x12 Concrete/Carbon Reed Listello



23882 12x12, 8x24, 24x24 Clay

through body porcelain floor & wall tile 12 x 12 • 18 x 18 • 8 x 24 • 12 x 24 • 24 x 24 (All sizes are Rectified)



23882 Clay



23882 Clay



23882/M12 Clay



23882C/L6x18 Clay Stratus Listello



23882A/L3.5x24 Clay Rays Listello



23882B/L8x24 Clay Moon Listello



23882 Clay Cove Base & Corner



2383A/L1.25x12 Clay Trek Listello



2383B/L1.25x12 Clay Reed Listello



23805 8x24 Carbon

# URBANITE

BY *floridatile*

## Typical Uses

Urbanite through body porcelain tile is ADA compliant and appropriate for all residential and commercial wall and countertop applications, residential and most commercial floor applications.


Properties <sup>1</sup> (Floor)	ASTM	ANSI	Results
Coefficient of Friction <sup>2</sup>	C-1028	Varies Varies	Dry 0.7 Wet 0.7
Surface Scratch Hardness	Mohs Scale	N/A	9.0 Mohs
Deep Abrasion	N/A	N/A	≤ 145 mm <sup>3</sup>
Break Strength	C-648	250 lbs.	710 lbs. avg (18x18) 1000 lbs. avg (all other sizes)
Water Absorption Thickness	C-373	<0.5%	<0.1% 9.5 mm (18x18) 11.5 mm (all other sizes)
Durability Classification <sup>3</sup>	C-1027	N/A	Urbanite is a through body porcelain; since the color goes all the way through, it is highly wear resistant

<sup>1</sup> These values vary from lot to lot.

<sup>2</sup> Dry & Wet values from independent test laboratory.

<sup>3</sup> Class I Light Traffic Areas, Class II Light Medium Traffic Areas, Class III Medium Heavy Traffic Areas, Class IV Heavy Traffic Areas, Class IV+ Extra Heavy Traffic Areas (High resistance to scratches and stains)

### V3 = Moderate Variation



While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece may vary significantly. For example "that little bit of color" on one piece of tile may be the primary color on the next piece.

# 48796R 8/11

www.floridatile.com

Field Tile Nominal Size <sup>1</sup>	Metric	Pcs./Sq Ft <sup>2</sup>
8" x 24"	20x60	.75
12" x 12"	30x30	1
12" x 24"	30x60	.5
18" x 18"	45x45	.44
24" x 24"	60x60	.5

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> These values are based on actual sizes including the grout joint.

Trim Available Name	Shape	SKU	Nominal Size
Bullnose		P43H9	3"x18"
Bullnose		P43N9	3" x 24"
Cove Base		P36C9	6"x 12"
Cove Outside Corner		PB3169	6"x 1"



floridatile

floridatile is a registered trademark in the U.S. of FLORIDA TILE, INC. 2011