

Porcelain Floor & Wall Tile

floridatile

BY floridatile

Craftsman DP, the newest line from Florida Tile. Inspired by the hard working and highly skilled craftsman that shaped the buildings we live and work in today. Embodied in a nostalgic time era at the turn of the 20th century, the world was a much simpler place.

From stained glass and woodcarvers, to metal fabricators, these men and women were true artists that honed their craft over years of painstaking handmade detailing. From the busiest urban workshops to the tranquil small towns of the rural Midwest, these artisans could be found in every profession.

This line designed by Florida Tile, embodies these same qualities of contemporary design, extraordinary craftsmanship and the American spirit of those people and of that time period.

Designed in a classic Marble style, the Craftsman DP line features a smooth flat surface that is ideal for residential and light commercial applications. The graphic development is done using Florida Tile's proprietary DP-Digital Porcelain technology. With up to 20 different graphics per color in the 12x12 alone, this line features the realistic shade variation of the most modern decorating lines available.

Offered in 6x6, 12x12, 18x18 and 12x24 as well as mosaic and coordinating listellos this line has the essentials for every project.



27202 Biscuit



27230 Wheat

Shown on Cover: 27202 12x12 18x18 Biscuit, 27202/M12 Biscuit




DIGITAL PRINTING

- Marble, Travertine, Wood, Fabric, Text, Concrete
- Can duplicate any graphic image on a tile
- Allows for huge range of color and variation
- Glaze is durable and exceeds all ANSI/ ASTM standards
- Graphic goes to edge of tile, eliminating "pillow" effect
- Trims can be matched exactly using the same glazing process
- Environmentally safe process is low maintenance with no waste

Digital Porcelain by Florida Tile utilizes the most technically advanced glazing system in the industry today, digital printing. Like the technology that changed the television industry, Digital Printing on ceramic and porcelain brings you the most realistic image possible, except it is on a tile.

Like any digital image, the graphics on tiles are made up of millions of small dots of color; higher the quantity and smaller the dots, the higher the definition. While this concept is simple in theory, it has taken decades of painstaking work to bring the technology from the research and development laboratories to the production line. Continuing to be an innovator in the industry, Florida Tile was the first manufacturer to use this technology in the United States.





27202 6x6 Biscuit



27202 12x12 Biscuit



27202 18x18 Biscuit



27202/M12 Biscuit Mosaic





27200A/L1.5x12 Prairie Light Listello





27224 6x6 Rye



27224 12x12 Rye



27224 18x18 Rye



27224 /M12 Rye Mosaic









27230 6x6 Wheat



27230 12x12 Wheat



27230 18x18 Wheat




27230/M12 Wheat Mosaic







27200A/L1.5x12 Prairie Light Listello

TILE PATTERN



12"x12" - 40.00% 18"x18" - 60.00%







Shown: 27202 12x12 18x18 Biscuit

C R A F T S M A N DP

Typical Uses

Craftsman porcelain floor & wall tile is appropriate for all residential and commercial wall, countertop and backsplash applications. Residential and light commercial floor applications

Made in USA: With the exception of select trim and decorative pieces, this product line is Made in the USA of 40% pre-consumer recycled content, is GREENGUARD Certified and Porcelain Tile Certified, and meets the new DCOF AcuTest requirements to be installed in wet areas.

Notice: Not all flooring products are suitable for wet areas, specialized applications or commercial use. Please refer to the American National Standard Specifications for Ceramic tile (ANSI A137.1) for ceramic, stone and glass installation for specific usage and installation information.

This Florida Tile will contribute to USGBC LEED points and the ANSI approved NAHB Green Building Points.

| Properties (Floor) | ASTM | ANSI | Results ¹ |
|--------------------------------------|------------|------------------|----------------------|
| DCOF AcuTest ² | A137.1 | <u>></u> 0.42 | Pass |
| Visible Abrasion Resist ³ | C1027 | As Reported | Class IV |
| Glaze Hardness | Mohs Scale | N/A | 7 Mohs |
| Break Strength | C-648 | 250 lbs. | 370 lbs. avg. |
| Water Absorption | C-373 | ≤0.5% | ≤0.5% |

¹ These values vary from lot to lot. All test results are from independent laboratory tests. ²ANSI A137.1-2012 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest value of 0.42 Class Libert Desidential Class III Desidential Class III Leonard Desidential Libert Providential Class IV.

³Class I Light Residential, Class II Residential, Class III Heavy Residential Lt Commercial,Class IV Commercial, Class V Heavy Commercial



V2 = Slight Variation

Clearly distinguishable differences in texture and/or pattern with similar colors.

| Field Tile Nominal Size ¹ | Metric | Pcs./SqFt ² | Thickness ³ |
|-----------------------------------------|---------|------------------------|------------------------|
| 12" x 12" | 30 x 30 | 1 | 8.0mm |
| 18″ x 18″ | 45 x 45 | .44 | 8.5mm |

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns.

| Trim | Shape | SKU | Nominal Size | Metric |
|----------|-------|-------|--------------|----------|
| Bullnose | | P43C9 | 3″ x 12″ | 7.5 x 30 |

Color Variations

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.





