

CRAFTSMAN DP

Digital Porcelain

GLAZED PORCELAIN FLOOR & WALL TILE



floridatile

CRAFTSMAN DP

Digital Porcelain

shown on front: **27230 12x12** Wheat, **27230/M12** Wheat & **27200A/L1.5x12** Prairie Light Listello

Inspired by the highly skilled artisans that began an architectural movement stressing hand-shaped materials and harmony with nature, Florida Tile brings you Craftsman^{DP}. This collection embodies the same qualities of innovative design, extraordinary artistry, and the American spirit represented by these revered innovators from the turn of the 20th century.

Craftsman^{DP} glazed porcelain floor and wall tile is fashioned with a classic marble aesthetic and features three warm color options of Biscuit, Rye, and Wheat. Biscuit is a calm, elegant cream with subtle highlights of gray and gold. Rye warms up the look of any room with its medium brown base and undertones of gray and rust. Wheat conveys an understated

charm with its palette of deep beiges and distinct strains of dark gray and brown. Formats offered are 6x6, 12x12, 12x24, and 24x24 field tile and a 25-piece mosaic in each color. Rounding out the line is a listello featuring a biophilia-inspired graphic in light or dark tones.

Craftsman^{DP} glazed porcelain floor and wall tile is appropriate for most residential and commercial interior, dry and wet applications including walls, countertops, backsplashes, and floors. Made in the USA at our Green Squared[®] certified Advanced Manufacturing Center in Lawrenceburg, KY, it includes pre-consumer recycled content and is GREENGUARD[®] and Porcelain Tile certified.

below: **27224 12x12** Rye & **27200B/L1.5x12** Prairie Dark Listello



COLOR VARIATION

Formats Available: 6x6, 12x12, 12x24, 24x24 & M12 Mosaic

BISCUIT



RYE



WHEAT





BISCUIT



27202 6x6
Biscuit



27202 12x12
Biscuit



27202 12x24
Biscuit



27202 24x24
Biscuit



27202/M12
Biscuit 25pc Mosaic



27200A/L1.5x12 Prairie Light Listello

RYE



27224 6x6
Rye



27224 12x12
Rye



27224 12x24
Rye



27224 24x24
Rye



27224/M12
Rye 25pc Mosaic



27200B/L1.5x12 Prairie Dark Listello

WHEAT



27230 6x6
Wheat




27230 12x12
Wheat



27230 12x24
Wheat



27230 24x24
Wheat



27230/M12
Wheat 25pc Mosaic



27200A/L1.5x12 Prairie Light Listello



above: 27230 12x12 Wheat

Technical Specifications	Results ¹
ANSI® A326.3 ²	Interior, Wet (IW) Mosaic Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 375 lbf. avg.
Water Absorption	≤ 0.5% ³
Intended Use ⁴	Residential, Light Commercial & Heavy Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
6x6	15x15	4	8mm	Cut ⁴
12x12	30x30	1	8mm	Pressed
12x24	30x60	.5	9mm	Pressed
24x24	60x60	.25	9mm	Pressed

¹ These values may vary from lot to lot.

² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

⁴ In order to provide as many size formats as possible, some sizes may be originally pressed as larger formats and then professionally cut to size.

Trim	Shape	SKU	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43C9	3x12	7.5x30
Bullnose		S4669	6x6	15x15
Outside Corner		SN4669	6x6	15x15

¹ These values may vary from lot to lot.


Typical Uses

Craftsman^{DP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation



V2 Slight Variation

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

