

# CRAFTSMAN DP

Digital Porcelain

GLAZED PORCELAIN FLOOR & WALL TILE



floridatile

# CRAFTSMAN DP Digital Porcelain

shown on front: **27230 12x12** Wheat, **27230/M12** Wheat & **27200A/L1.5x12** Prairie Light Listello

Inspired by the highly-skilled artisans that began an architectural movement stressing hand-shaped materials and harmony with nature, Florida Tile brings you Craftsman<sup>DP</sup>. This collection embodies the same qualities of innovative design, extraordinary artistry, and the American spirit represented by these revered innovators from the turn of the 20<sup>th</sup> century.

Craftsman<sup>DP</sup> glazed porcelain floor and wall tile is fashioned with a classic marble aesthetic and features three warm color options of Biscuit, Rye, and Wheat. Biscuit is a calm, elegant cream with subtle highlights of gray and gold. Rye warms up the look of any room with its medium brown base and

undertones of gray and rust. Wheat conveys an understated charm with its palette of deep beiges and distinct strains of dark gray and brown. Formats offered are 6x6, 12x12, 12x24, and 24x24 field tile and a 25-piece mosaic in each color. Rounding out the line is a listello featuring a biophilia-inspired graphic in light or dark tones.

Craftsman<sup>DP</sup> porcelain tile is entirely made in the USA in our Green Squared<sup>®</sup> certified Advanced Manufacturing Center in Lawrenceburg, KY, and includes pre-consumer recycled content. It meets the DCOF AcuTest<sup>®</sup> requirements to be installed in wet areas and is GREENGUARD<sup>®</sup> and Porcelain Tile certified.

below: **27224 12x12** Rye & **27200B/L1.5x12** Prairie Dark Listello



# COLOR VARIATION

---

Formats Available: 6x6, 12x12, 12x24, 24x24 & M12 Mosaic

## BISCUIT

---



## RYE

---



## WHEAT

---





# BISCUIT

---



**27202 6x6**  
Biscuit



**27202 12x12**  
Biscuit



**27202 12x24**  
Biscuit



**27202 24x24**  
Biscuit



**27202/M12**  
Biscuit 25pc Mosaic



**27200A/L1.5x12** Prairie Light Listello

# RYE

---



**27224 6x6**  
Rye




**27224 12x12**  
Rye



**27224 12x24**  
Rye



**27224 24x24**  
Rye



**27224/M12**  
Rye 25pc Mosaic



**27200B/L1.5x12** Prairie Dark Listello

# WHEAT

---



**27230 6x6**  
Wheat



**27230 12x12**  
Wheat



**27230 12x24**  
Wheat



**27230 24x24**  
Wheat\*



**27230/M12**  
Wheat 25pc Mosaic



**27200A/L1.5x12** Prairie Light Listello

\*Please contact your Florida Tile representative for product availability.



above: **27230 12x12** Wheat

Porcelain Technical Data Properties (Floor)	ASTM®	ANSI®	Results <sup>1</sup>
<b>DCOF AcuTest®<sup>2</sup></b>	A137.1	≥ 0.42	Pass
<b>Surface Hardness</b>	Mohs Scale	N/A	7 Mohs
<b>Break Strength</b>	C-648	≥ 250 lbf.	≥ 370 lbf. avg.
<b>Water Absorption</b>	C-373	≤ 0.5%	≤ 0.5% <sup>3</sup>
<b>Intended Use<sup>4</sup></b>	N/A	N/A	Residential Light Commercial Heavy Commercial

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

<sup>3</sup> Average production value.

<sup>4</sup> Please visit [www.floridatile.com/intended-use](http://www.floridatile.com/intended-use) for further details.

**Typical Uses**

Craftsman<sup>DP</sup> glazed porcelain floor and wall tile is appropriate for residential and commercial wall, countertop, backsplash, and most floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>	Edge
<b>6x6</b>	15x15	4	8mm	Cut <sup>4</sup>
<b>12x12</b>	30x30	1	8mm	Pressed
<b>12x24</b>	30x60	.5	9mm	Pressed
<b>24x24</b>	60x60	.25	9mm	Pressed

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

<sup>4</sup> In order to provide as many size formats as possible, some sizes may be originally pressed as larger formats and then professionally cut to size.

Trim	Shape	SKU	Nominal Size (in) <sup>1</sup>	Metric (cm)
<b>Bullnose</b>		P43C9	3x12	7.5x30
<b>Bullnose</b>		S4669	6x6	15x15
<b>Outside Corner</b>		SN4669	6x6	15x15

<sup>1</sup> These values may vary from lot to lot.

**Color Variation**

**V2 Slight Variation**  
Clearly distinguishable differences in texture and/or pattern with similar colors.

