TIDES HERE GLAZED PORCELAIN FLOOR & WALL TILE

69

-

П floridatile

TIDES HDP

shown on front: 28130 12x24 Sand Castle

Florida Tile's Tides^{HDP} is a stylized interpretation of vein cut limestone known as "Georgette". It is a stunning play of tone-ontone colors that creates a contemporary aesthetic. Using Florida Tile's HDP-High Definition Porcelain® technology we are able to create a unique tonal blend within the veining to add interest and depth to each graphic.

This glazed porcelain floor and wall tile is available in pressed 12x24 and a rectified 3.75x12 in five color options: Sea Salt, Marine Fog, Sand Castle, Coconut Shell, and Waters Edge.

Also featured in each color is a unique patterned 25-piece mosaic that rotates each chip 90 degrees creating a wonderful checkerboard pattern. A 3x24 bullnose completes the line.

Tides^{HDP} is appropriate for most applications in both residential and commercial settings. It is made in the USA in our Green Squared[®] certified Advanced Manufacturing Center in Lawrenceburg, KY. It includes pre-consumer recycled content and is GREENGUARD[®] and Porcelain Tile certified.

shown: 28115 12x24 Marine Fog & 28130/M12 Sand Castle Mosaic



SEA SALT



shown: 28110 12x24 Sea Salt





28110 3.75x12 Sea Salt

28110 12x24 Sea Salt



28110/M12 Sea Salt 25pc Mosaic

WATERS EDGE



shown: 28155 12x24 Waters Edge

28155 3.75x12

Waters Edge



28155 12x24 Waters Edge



28155/M12 Waters Edge 25pc Mosaic

MARINE FOG



shown: 28115 12x24 Marine Fog & 28130/M12 Sand Castle Mosaic

28115 3.75x12

Marine Fog



28115 12x24 Marine Fog



28115/M12 Marine Fog 25pc Mosaic

COCONUT SHELL



shown: 28190 12x24 Coconut Shell





28190 /M12 Coconut Shell 25pc Mosaic



28190 3.75x12 Coconut Shell **28190 12x24** Coconut Shell

SAND CASTLE



shown: 28130 12x24 Sand Castle





28130/M12 Sand Castle 25pc Mosaic



28130 3.75x12 Sand Castle **28130 12x24** Sand Castle

TIDES HDP



shown: 28130 12x24 Sand Castle

Technical Specifications	Results'
ANSI [®] A326.3 ²	Interior, Wet (IW) Mosaics Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 510 lbf. avg.
Water Absorption	≤ 0.5% ³
ntended Use ⁴ Residential & Light Commercial	

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary. ² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ^{3,4}	Edge
3.75x12	9.5x30	3.27	9mm	Rectified
12x24	30x60	.5	9mm	Pressed

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics. ⁴ In order to enhance manufacturing efficiencies this product has been modified to a 9mm thickness. During implementation of this modification, some 10mm products will remain available. Please confirm the thickness of your product at time of order.

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43N9	3x24	7.5x60

¹These values may vary from lot to lot.

Typical Uses

Tides^{HDP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED* points and the ANSI* approved NAHB* Green Building Points.

Color Variation				
	V2 Slight Variation			

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

