# COLOR BODY PORCELAIN FLOOR & WALL TILE

# floridatile

### AVENTIS HDP

Shown on front: AT3RF 12x24 & 24x24 Titanium

Inspired by the gritty urban landscape, Aventis<sup>HDP</sup> defines contemporary design. With a six-color palette of strong grey and olive tones, these hues are the perfect backdrop for any environment. This color body floor and wall tile is a concrete look that both looks the part and performs to the highest industrial standard of this age-old building material.


The minimalist nature of the look enhances the subtle nuances of its design. Each of the six colors is a unique blend of color and contrast that allows the slightest shimmer of reflection. Monochromatic in their overall tone, the colors range from a creamy beige (Cotton) to a dark black (Eclipse).

The smooth surface, combined with the soft but tactile touch, creates a harmonious texture that


works in any environment. With the large scale commercial or contemporary residential installations in mind, sizes available are 12x24 and 24x24, rectified. A 3x12 bullnose and 25 piece mosaic in every color, complete this line.

Manufactured using proprietary HDP—High Definition Porcelain® printing technology, Aventis<sup>HDP</sup> is appropriate for all applications in both residential and commercial settings. It is made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY, of 40% pre-consumer recycled content. It meets the DCOF AcuTest requirements to be installed in wet areas and is GREENGUARD® and Porcelain Tile certified.


AT3RF 24x24 Titanium




## ECLIPSE










ATORF 12x24 Eclipse




ATORA/M12 Eclipse 25pc Mosaic

# ASK

0



**AT1RF 24x24** Ask







AT1RA/M12 Ask 25pc Mosaic

AT1RF 12x24 Ask

### VELVET












AT2RF 12x24 Velvet

AT2RA/M12 Velvet 25pc Mosaic

### TITANIUM



AT3RF 24x24 Titanium






AT3RF 12x24 Titanium




AT3RA/M12 Titanium 25pc Mosaic

### NUT



AT4RF 24x24 Nut







AT4RA/M12 Nut 25pc Mosaic

AT4RF 12x24 Nut

### COTTON

Γ





AT5RF 24x24 Cotton







AT5RA/M12 Cotton 25pc Mosaic

AT5RF 12x24 Cotton

### AVENTIS HDP



AT1RF 24x24 Ask

Porcelain Technical Data Properties (Floor)	ASTM <sup>®</sup>	ANSI®	Results
DCOF AcuTest <sup>®2</sup>	A137.1	≥0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbf.	650 lbf. avg.
Water Absorption	C-373	≤0.5%	≤0.5% <sup>3</sup>
Intended Use <sup>4</sup>	N/A	N/A	Residential, Light Commercial & Heavy Commercial

<sup>1</sup> These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

<sup>3</sup> Average production value

<sup>4</sup> Please visit www.floridatile.com/intended-use for further details.

### Typical Uses

Aventis<sup>HDP</sup> color body porcelain floor and wall tile is appropriate for all residential and commercial wall, countertop, and backsplash applications, all residential, and most commercial floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Color, texture, and finish variations may occur due to the nature of the product.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	<b>Thickness</b> <sup>3</sup>	Edge
12x24	30x60	.5	10mm	Rectified
24x24	60x60	.25	10mm	Rectified

<sup>1</sup>These values may vary from lot to lot.

<sup>2</sup>These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in)	Metric (cm)
Bullnose		P43C9	3x12	7.5x30

### **Color Variation**

floridatile & HDP



Clearly distinguishable differences in texture and/or pattern with similar colors.



are registered trademarks in the U.S. of Florida Tile, Inc.<sup>®</sup> 2019

www.floridatile.com