STREAMIC WALL TILE

Minimum

floridatile

....


STREAMLINE

Shown on front: Streamline 410 3x6 & S4369 Bullnose & SN4339 Bullnose Corner Arctic Matte PietraArt Premier Marble MAR16/M12BW Casablanca Basketweave Mosaic Polished

Streamline from Florida Tile combines classic shapes and colors with an immense decorative offering. Intended to coordinate with popular glass and stone collections in today's eclectic looks, this signature wall tile line is the optimal choice for any wall application. Whether designing for residential or commercial spaces, you will find the right elements to build a space with enduring elegance.


Available formats are 3x6, 4x4, and 4x16 along with trim shapes to complete any installation. This includes bullnose, bullnose corner, cove base, cove base corners, quarter round, and quarter round corners. The 4x4 and 4x16 are modular to each other and the 3x6 and 4x4 sizes coordinate with our glass and stone product offerings. An immense decorative selection will inspire any space. Ivy, jewel, wave, and gemstone listellos as well as chair rails and pencils in broad color offering provide a variety of choice in architectural detail.

Streamline ceramic wall tile is appropriate for all residential and commercial, wall, countertop, and backsplash applications and is GREENGUARD[®] certified.



411 3x6 Dorian Matte, 411/L1/2x6 Dorian Matte Liner, 312 3x6 Gunmetal, 312/L1/2x6 Gunmetal Liner, & 519A/L2x8 Gemstone Cool Listello

GLAZED CERAMICTILE









Chair Rails

310/CR1.75x6 Arctic

330/CR1.75x6 Earth

420/CR1.75x6 **Buff Matte**

Liners

310/L1/2x6 Arctic

330/L1/2x6 Earth

420/L1/2x6 Buff Matte


385/L1/2x6 Royal

320/CR1.75x6

Buff



Fawn



Dorian Matte

320/L1/2x6 Buff

325/L1/2x6 Fawn

411/L1/2x6 Dorian Matte

355/L1/2x6 Envy

350/CR1.75x6

Camo

312/CR1.75x6

Gunmetal



311/CR1.75x6 Dorian

410/CR1.75x6

Arctic Matte

350/L1/2x6 Camo

312/L1/2x6 Gunmetal

375/L1/2x6 Cardinal

340/L1/2x6 Curry

311/L1/2x6 Dorian

410/L1/2x6 Arctic Matte

305/L1/2x6 Noir



Wave Listellos



310/L3x6 Arctic



350/L3x6 Camo



330/L3x6 Earth



312/L3x6 Gunmetal



420/L3x6 Buff Matte



320/L3x6 Buff



311/L3x6 Dorian



325/L3x6 Fawn



Arctic Matte



411/L3x6 Dorian Matte

Ivy Shadow Listellos



518/L3x6 Gray



538/L3x6 Beige


Gemstone Listellos



519A/L2x8 Cool



519B/L2x8 Warm



Jewel Listellos



30.0

Arctic

311/L1x6 Dorian



312/L1x6 Gunmetal



330/L1x6 Earth



350/L1x6 Camo



325/L1x6 Fawn



STREAMLINE

8-1



411 3x6 Dorian Matte

00

Porcelain Technical Data Properties (Floor)	ASTM®	ANSI®	Results ¹
Surface Hardness	Mohs Scale	N/A	5 Mohs
Break Strength	C-648	125 lbf.	150 lbf. avg.
Water Absorption	C-373	≤0.5%	14%2
Intended Use ³	N/A	N/A	Residential & Light Commercial

¹ These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² Average production value

³ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
3хб	7.5x15	8	7.3mm	Pressed
4x4	10x10	9	7.3mm	Pressed
4x16	10x40.5	2.25	8mm	Pressed

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint. ³May not apply to textured surfaces or tiles with uneven back patterns, such as mesh

may not apply to textured surfaces of thes with uneven back patterns, such as mesh mounted mosaics.

Typical Uses

Streamline glazed ceramic wall tile is appropriate for all residential and commercial wall, countertop, and backsplash applications.


Special Note

Note: 4x4 & 4x16 formats are modular when using a 1mm spacer. 50% offset brick patterns have unique installation challenges regardless of the tile selected. Substrates need to be completely flat and wash lighting is not recommended. A larger grout joint should also be considered. See the latest **TCNA Handbook for Tile Installation** for tips on brick patterns.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Color, texture, and finish variations may occur due to the nature of the product.

mosaics not available



¹Available in all colors

²Only Available in Arctic, Arctic Matte, Buff & Dorian

Color Variation



V1 Uniform Appearance Differences among pieces from the same production run are minimal.



www.floridatile.com

#48852R 12/18

foridatile is a registered trademark in the U.S. of Florida Tile, Inc.© 2019