## STREAMLINE GLAZED CERAMIC WALL TILE

# / 1 ······ \* **НННННН** floridatile

## STREAMLINE

shown on front: 310 4x16 Arctic, S3689 6x8 Cove Base Arctic, 312 3x6 Gunmetal, 312/L3x6 Gunmetal Wave Listello, 312/L1/2x6 Gunmetal Liner

Streamline from Florida Tile combines classic shapes and colors that work beautifully with both traditional and contemporary design patterns. The signature look of subway tile paired with unique decorative trims and listellos allows for concepts that will stand the test of time.

Available field tile formats are 3x6 and 4x16. Trims include bullnose, bullnose corner, cove base, quarter round, and quarter round corner. Decorative selections of jewel, wave, and gemstone listellos, as well as chair rails and liners provide elegant choices for architectural detail to complete this line. Streamline ceramic wall tile is appropriate for all residential and commercial wall and backsplash applications and is GREENGUARD<sup>®</sup> certified.

below: 410 3x6 Arctic Matte, S4369 3x6 Bullnose Arctic Matte, S3689 6x8 Cove Base Arctic Matte, SN4339 3x3 Outside Corner Arctic Matte, & PietraArt Premier Marble MAR16/M12BW Casablanca Basketweave Mosaic Polished



## COLORS

### Formats Available: 3x6 & 4x16



**410 4x16** Arctic Matte 420 4x16 Buff Matte **411 4x16** Dorian Matte

## DECORATIVES

## CHAIR RAILS

**310/CR1.75x6** Arctic



320/CR1./5x6 Buff

410/CR1.75x6 Arctic Matte 420/CR1.75x6 Buff Matte

## .....

**311/CR1.75x6** Dorian

**411/CR1.75x6** Dorian Matte



**312/CR1.75x6** Gunmetal

LINERS

**310/L1/2x6** Arctic

**410/L1/2x6** Arctic Matte **320/L1/2x6** Buff

420/L1/2x6 Buff Matte **311/L1/2x6** Dorian

**411/L1/2x6** Dorian Matte **312/L1/2x6** Gunmetal

**305/L1/2x6** Noir

below: Streamline 310 3x6 Arctic, 310/CR1.75x6 Arctic Chair Rail & 310/L1x6 Arctic Jewel Listello



## WAVE LISTELLOS



**310/L3x6** Arctic



**320/L3x6** Buff



**311/L3x6** Dorian



312/L3x6 Gunmetal



**410/L3x6** Arctic Matte

### **420/L3x6** Buff Matte



**411/L3x6** Dorian Matte

## JEWEL LISTELLOS



**310/L1x6** Arctic





**311/L1x6** Dorian



**312/L1x6** Gunmetal

### GEMSTONE LISTELLO



**519A/L2x8** Cool

# STREAMLINE



above: 411 3x6 Dorian Matte, 411/L1/2x6 Dorian Matte Liner, S4369 3x6 Dorian Matte Bullnose, 312 3x6 Gunmetal, 312/L1/2x6 Gunmetal Liner, & 519A/L2x8 Cool Gemstone Listello

Ceramic Technical Data	ASTM <sup>®</sup>	ANSI®	Results
Surface Hardness	Mohs Scale	N/A	5 Mohs
Break Strength	C-648	≥ 125 lbf.	≥ 150 lbf. avg.
Water Absorption	C-373	< 7% - ≤ 20%	> 10% <sup>2</sup>

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> Average production value.

Trim	Shape	Sku	Nominal Size (in) <sup>1</sup>	Metric (cm)
Bullnose <sup>2</sup>		S4369	3x6	7.5x15
Bullnose <sup>2</sup>		S4639	6x3	15x7.5
Outside Corner <sup>2</sup>		SN4339	3x3	7.5x7.5
Bullnose <sup>2</sup>		S44G9	4x16	10x40.5
Cove Base <sup>3</sup>		S3689	6x8	15x20
Quarter Round <sup>3</sup>	$\sum$	A106	3/4x6	1.9x15
Quarter Round Corner <sup>3</sup>	$\bigcirc$	AZ106	3/4x3/4	1.9x1.9

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> Available in all colors.

<sup>3</sup> Only available in Arctic, Arctic Matte, Buff, & Dorian.

**Special Note:** 4x16 formats are modular when using a 1mm spacer. 50% offset brick patterns have unique installation challenges regardless of the tile selected. Substrates need to be completely flat and wash lighting is <u>not</u> recommended. A larger grout joint should also be considered. See the latest TCNA Handbook for Tile Installation for tips on brick patterns.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	<b>Thickness</b> <sup>3</sup>	Edge
3х6	7.5x15	8	7.3mm	Pressed
4x16	10x40.5	2.25	8mm	Pressed

<sup>1</sup>These values may vary from lot to lot.

<sup>2</sup>These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

#### Typical Uses

Streamline glazed ceramic wall tile is appropriate for all residential and commercial wall and backsplash applications.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation	
	V1 Uniform Appearance Differences among pieces from the same production run are minimal.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

mosaics not available.



www.floridatile.com