

LEVEL 10 HDP

shown on front: **33315** Platinum Suite (color reference only)

Level 10^{HDP} by Florida Tile is a HDP–High Definition Porcelain® line inspired by the cool modern aesthetics of a stained concrete. Not content with a simple one-dimensional look, we have taken the concrete styling and combined it with other natural elements.

Incorporating signs of distress, we are able to infuse character that brings the collection to life. With inclusion of worn-in staining, watermarks, and chips, this concrete look invokes a sense of the familiar. Lending to the design are organic elements commonly found in natural stone; fill marks, sediment, pits, and veining.

The Level 10^{HDP} collection features 12x24 field tile, 1.25x12 and 2x12 listellos in coordinating warm and

cool versions, as well as 25 piece mosaics, bullnose, and a full cove base package in each color.

Manufactured using proprietary HDP—High Definition Porcelain® printing technology, Level 10^{HDP} is appropriate for all applications in both residential and commercial settings. It is entirely made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY, of 40% pre-consumer recycled content. It meets the DCOF AcuTest® requirements to be installed in wet areas and is GREENGUARD® and Porcelain Tile certified. Incorporated into the tile surface is Microban® antimicrobial technology that works continuously to inhibit bacteria growth, improve visible cleanliness, and reduce odors.

below: **33318** Salon Bronze (color reference only)



PLATINUM SUITE



33315 12x24



33315/M12 25pc Mosaic

SALON BRONZE



33318 12x24



33318/M12 25pc Mosaic

COOL



25757/L2x12 Comet Listello



25756/L1.25x12 Nebula Listello


WARM



25779/L2x12 Comet Listello



Nebula Listello



Properties (Floor)			
DCOF AcuTest ^{®2}	A137.1	≥0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbf.	≥479 lbf. avg.
Water Absorption	C-373	≤0.5%	≤0.5%³
Intended Use ⁴	N/A	N/A	Residential, Light Commercial & Heavy Commercial

¹ These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

Typical Uses

Level 10^{HDP} color body porcelain floor and wall tile is appropriate for all residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Color, texture, and finish variations may occur due to the nature of the product.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
12x24	30x60	.5	9mm	Pressed

¹These values may vary from lot to lot.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in)	Metric (cm)
Bullnose		P43C9	3x12	7.5x30
Cove Base		P36C9	6x12	15x30
Cove Base Corner		PB3169	6x1	15x3

Color Variation



V3 Moderate Variation

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece may vary significantly. For example "that little bit of color" on one piece of tile may be the primary color on the next piece.















² ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

³ Average production value

⁴ Please visit www.floridatile.com/intended-use for further details.

²These values are based on actual sizes including the grout joint.