#### RELIVE HDP GLAZED PORCELAIN FLOOR & WALL TILE



### 

#### shown on front: 34132 8x48 Florida

Relive<sup>HDP</sup> from Florida Tile brings the durable, weathered beauty of reclaimed wood indoors. The graphic on each plank conveys a history derived from this beautiful wood's previous life. The knots, splits, stains, and markings from natural weathering create a sense of warmth while telling a story of quality and longevity.

Four distinct and dramatic colors have been created using HDP–High Definition Porcelain® printing technology, Alaska, Florida, Oregon, and Montana are each inspired by the richness and unique character of their namesakes. With Alaska, you'll find light, smoky grays atop a soft, neutral taupe background. Florida's light, cream-colored surface boasts weathered hints of gray. Oregon combines a mid-range brown with sporadic dark ash flourishes. Montana, the darkest of these recovered wood

looks, blends a range of light and dark browns with hushed washes of gray.

Available in a rectified 8x48 format Relive<sup>HDP</sup> is a wide plank that is casual and yet chic. It works beautifully in all spaces and can be installed in a straight lay for a traditional room or try a diagonal or herringbone layout for a more contemporary look.

Manufactured using proprietary HDP—High Definition Porcelain<sup>®</sup> printing technology, ReliveHDP is appropriate for most applications in both residential and commercial settings. It meets DCOF AcuTest<sup>®</sup> requirements to be installed in wet areas and is GREENGUARD<sup>®</sup> and Porcelain Tile certified.



### COLOR VARIATION

Formats Available: 8x48











34132 Florida



#### **34123** Oregon

**34193** Montana

## ALASKA



above: 34112 8x48 Alaska



**34112 8x48** Alaska

## FLORIDA



above: 34132 8x48 Florida



**34132 8x48** Florida

## OREGON



above: 34123 8x48 Oregon



**34123 8x48** Oregon

# MONTANA



above: 34193 8x48 Montana



**34193 8x48** Montana

## RELIVE HDP



above: 34112 8x48 Alaska

Porcelain Technical Data Properties (Floor)	ASTM®	ANSI®	Results
DCOF AcuTest <sup>®2</sup>	A137.1	≥ 0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	≥ 250 lbf.	≥ 350 lbf. avg.
Water Absorption	C-373	≤ 0.5%	≤ 0.5% <sup>3</sup>
Intended Use <sup>4</sup>	N/A	N/A	Residential Light Commercial Heavy Commercial

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

<sup>3</sup> Average production value.

<sup>4</sup> Please visit www.floridatile.com/intended-use for further details.

#### **Typical Uses**

Relive<sup>HDP</sup> glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Trims not available



<sup>1</sup>These values may vary from lot to lot.

<sup>2</sup>These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

<sup>4</sup> In order to enhance manufacturing efficiencies the thickness of this product has been modified. During implementation of this modification, products with original thickness may still be available. Please contact customer care to confirm the thickness of your product at time of order.

Color Variation			
	V3 Moderate Variation While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece may vary significantly. For example "that little bit of color" on one piece of tile may be the primary color on the next piece.		



www.floridatile.com

#10051LT 8/21

floridatile & HDP are registered trademarks in the U.S. of Florida Tile, Inc.<sup>o</sup> 2021