CELLAR HDP High Definition Porceigint COLOR BODY PORCELAIN FLOOR & WALL TILE

floridatile

shown on front: 34310 8x36 Bleach

Inspired by planks found in an abandoned factory floor in Northern Italy, Florida Tile's Cellar^{HDP} perfectly captures the rich character of vintage boards. Rooted in history, these planks show the patina of heavy use by people, machinery, chemicals, and water for a unique rustic yet modern appearance. Cellar^{HDP} is as well suited for an industrial chic loft as it is for a farm-to-table restaurant.

A natural palette of bleached greys, aged charcoal, rich mocha, and warm honey brown allows you to create a floor that is exceptionally expressive. The timeworn surface texture and great variety of color tones make this line a bold statement in style. With industrial heritage and an ultra-natural look and feel, Cellar^{HDP} is as comfortable with forged steel, aluminum, and exposed brick, as it is with hand-hewn beams.

Available in 8x36 plank format, a generous herringbone mosaic and a modern stack mosaic, Cellar^{HDP} combines the look of reclaimed wood using advanced HDP—High Definition Porcelain[®] printing technology with the technical performance of porcelain.

Cellar^{HDP} is appropriate for all interior applications in both residential and commercial settings, is entirely made in the USA and includes pre-consumer recycled content. It meets the DCOF AcuTest[®] requirements to be installed in wet areas and is GREENGUARD[®] and Porcelain Tile certified.

below: 34327 8x36 Meld



COLOR VARIATION

Formats Available: 8x36, M2x12HER & M1x4STK

BLEACH



MELD



TONE



CHAR



BLEACH



34310 8x36 Bleach



34310/M2x12HER Bleach Herringbone Mosaic



34310/M1x4STK Bleach Stack Mosaic



MELD



34327 8x36 Meld



34327/M2x12HER Meld Herringbone Mosaic



34327/M1x4STK Meld Stack Mosaic



TONE



34398 8x36 Tone



34398/M2x12HER Tone Herringbone Mosaic



34398/M1x4STK Tone Stack Mosaic



CHAR



34316 8x36 Char



34316/M2x12HER Char Herringbone Mosaic



34316/M1x4STK Char Stack Mosaic



CELLAR HDP

ft

above: 34398 8x36 Tone

Porcelain Technical Data Properties (Floor)	ASTM®	ANSI®	Results
DCOF AcuTest ^{®2}	A137.1	≥ 0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	≥ 250 lbf.	≥ 460 lbf. avg.
Water Absorption	C-373	≤ 0.5%	≤ 0.5% ³
Intended Use ⁴	N/A	N/A	Residential Light Commercial Heavy Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Typical Uses

Cellar^{HDP} color body porcelain floor and wall tile is appropriate for residential and commercial wall, countertop, backsplash, and most floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Field Tile I Nominal Size (in) ¹	Metric (cm)	PCS./SQ FL	Thickness ³	Eage
8x36	20x90	.5	9mm ⁴	Pressed

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

⁴ In order to enhance manufacturing efficiencies this product has been modified to a 9mm thickness. During implementation of this modification, some 10mm products will remain available. Please confirm the thickness of your product at time of order.

Color Variation



V4 Random Variation

Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

Herringbone Mosaic Notice

Each M2x12HER Herringbone Mosaic is two parts, side A and side B; This item is sold (6) pieces per carton, in sets of (3) A's and (3) B's; The total coverage per carton is 5.7 SQFT.



