

# PRECIOUS

HDP  
High Definition Porcelain®

GLAZED PORCELAIN FLOOR & CERAMIC WALL TILE



floridatile



# PRECIOUS<sup>HDP</sup>

High Definition Porcelain™

shown on front: **35001 24x24** Calacatta, **35001 24x48** Calacatta & **B629.0131.0011 (35001D) 14x27** Calacatta Curl Deco (ceramic wall)

From the exquisite beauty of Calacatta marble emerges Precious<sup>HDP</sup>, from Florida Tile that captures the essence of the most sought-after natural stone in the world. Inspired by the unique marked graphics in the Italian stone, Precious<sup>HDP</sup> is a distinct expression of refined taste.

Intense gray veins stand out from the crystalline white background endowing it with a depth and movement that enlivens spaces. The random pattern, the structured surfaces of the decors, and the natural and polished finishes are elements that elevate any atmosphere – classical or modern.

Rectified, porcelain floor tiles in a natural finish are available in 12x24, 24x24, and 24x48. Rectified, ceramic wall tiles in a polished finish are available in 5x14 (cut), 14x27, and 14x39.

Two mosaics: a 12x12 ceramic wall tile showcasing a modern mix of the polished and matte finishes combined in an elongated hexagon pattern, and a 12x12 herringbone pattern in natural finish suitable for wall or floor, provide endless design options.

Precious<sup>HDP</sup> also features a 14x27 ceramic wall deco with a chic, three-dimensional wave pattern in a polished finish, adding a bold twist to the classic Calacatta stone look. A full package of trims including bullnose for floor and wall, corners, and a chair rail and stop in a polished finish complete the collection.

With the exception of select trim, decorative and ceramic pieces, Precious<sup>HDP</sup> is made in the USA of pre-consumer recycled content, is GREENGUARD® and Porcelain Tile certified.

below: **35001 12x24** Calacatta & **B629.0128.0951 (35001) 14x27** Calacatta (ceramic wall)



# SHADE VARIATION

---


## CALACATTA

---




## CALACATTA (ceramic wall)

---










above: **35001 24x24** Calacatta, **B629.0128.0951 (35001) 14x27** Calacatta (ceramic wall) & **B629.0131.0011 (35001D) 14x27** Calacatta Curl Deco (ceramic wall)



above: **35001 24x24** Calacatta, **35001/M1x4HER** Calacatta Herringbone Mosaic & **35001 14x39** Calacatta (ceramic wall)

left: **B639.0113.0951 (35001) 5x14** Calacatta (ceramic wall)





## PORCELAIN


---



**35001 24x48**  
Calacatta



**35001 24x24**  
Calacatta



**35001 12x24**  
Calacatta




**35001/M1x4HER**  
Herringbone Mosaic

## GLOSSY CERAMIC WALL

---



**B635.0078.0951**  
**(35001) 14x39**  
Calacatta



**B629.0128.0951**  
**(35001) 14x27**  
Calacatta



**B639.0113.0951**  
**(35001) 5x14**  
Calacatta



**B663.0092.0011**  
**(35001)/M12HEX**  
Calacatta Hexagon Mosaic  
(matte & glossy mix)



**B629.0131.0011**  
**(35001D) 14x27**  
Curl Deco

## CHAIR RAIL & CHAR RAIL STOP

---



**B750.0011.0011 (35001) CR1.7x14**  
Calacatta Chair Rail

**B758.0031.0011 (35001) CRS1.7x1**  
Calacatta Chair Rail Stop (not shown)

left: **B663.0092.0011 (35001)/M12HEX** Calacatta Hexagon Mosaic



above: **B629.0128.0951 (35001) 14x27** Calacatta (ceramic wall) & **B629.0131.0011 (35001D)/14x27** Curl Deco (ceramic wall)

Porcelain Technical Data Properties (Floor)	ASTM®	ANSI®	Results <sup>1</sup>
<b>DCOF AcuTest®<sup>2</sup></b>	A137.1	≥ 0.42	Pass
<b>Surface Hardness</b>	Mohs Scale	N/A	7 Mohs
<b>Break Strength</b>	C-648	≥ 250 lbf.	≥ 450 lbf. avg.
<b>Water Absorption</b>	C-373	≤ 0.5%	≤ 0.5% <sup>3</sup>
<b>Intended Use<sup>4</sup></b>	N/A	N/A	Residential Light Commercial

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

<sup>3</sup> Average production value.

<sup>4</sup> Please visit [www.floridatile.com/intended-use](http://www.floridatile.com/intended-use) for further details.

## Typical Uses

Precious<sup>HDP</sup> glazed porcelain floor tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. Ceramic wall tile is appropriate for interior wall, countertop, and backsplash applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>	Edge
<b>5x14</b> (ceramic wall)	12.7x35	2.21	10.5mm	Cut <sup>4</sup>
<b>12x24</b>	30x60	.53	9mm <sup>5</sup>	Rectified
<b>14x27</b> (ceramic wall)	35x70	.38	9.5mm	Rectified
<b>14x27D</b> (ceramic wall)	35x70	.38	9.5-9.8mm	Rectified
<b>14x39</b> (ceramic wall)	35x99	.27	10mm	Rectified
<b>24x24</b>	60x60	.26	9mm <sup>5</sup>	Rectified
<b>24x48</b>	60x120	.124	9mm	Rectified

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.


<sup>4</sup> In order to provide as many size formats as possible, some sizes may be originally pressed as larger formats and then professionally cut to size.

<sup>5</sup> In order to enhance manufacturing efficiencies the thickness of this product has been modified. During implementation of this modification, products with original thickness may still be available. Please contact customer service to confirm the thickness of your product at time of order.

Trim	Shape	SKU	Nominal Size (in) <sup>1</sup>	Metric (cm)
<b>Bullnose</b>		P43C9	3x12	7.5x30
<b>Bullnose</b> (ceramic wall)		S43E9	3x14	7.5x35
<b>Outside Corner</b> (ceramic wall)		SN4339	3x3	7.5x7.5

<sup>1</sup> These values may vary from lot to lot.

## Color Variation



### V2 Slight Variation

Clearly distinguishable differences in texture and/or pattern with similar colors.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.



\*porcelain only

[www.floridatile.com](http://www.floridatile.com)

floridatile & HDP<sup>H</sup> are registered trademarks in the U.S. of Florida Tile, Inc. © 2021