

DISTILLERY HDP

High Definition Porcelain

GLAZED PORCELAIN FLOOR & WALL TILE



floridatile

DISTILLERY HDP

High Definition Porcelain™

shown on front: **DIS30 8x48** Spirit

From the handmade charred white oak barrels to the towering racks of the decades old rickhouses comes the inspiration for Florida Tile's Distillery^{HDP} wood collection. Like the smooth, soft finish of a 20-year-old single batch bourbon, it creates a mood of cool sophistication. The warmth of the natural oak lives on through the centuries with the strength and durability of the harvested planks. Combined with a spirit that is simple, clean, and modern, these elements work together as one tangible unit.

Starting with a graphic almost completely devoid of knots, the concept was born. A wide-open pattern, linear but with some contrast in variation, became a contemporary vision. Distillery^{HDP} is the future of wood look porcelain. The surface is a natural matte finish with a delicate punch and minimal pitting that features a mild texture to compliment the grain. Pressed in

an 8x48 format, Distillery^{HDP} brings the large-scale concept up-to-date with natural wood planks in the market.

The color palette is on-trend with three bold shades of grey, from warm to cool to dark- Spirit, Barley, and Proof, the target is thoroughly modern. Even the more traditional tones of light and dark brown – Wheat and Malt, are given the slightest gray flair to work within the line. A unique large format hexagon patterned twist mosaic provides an interesting decorative highlight.

Distillery^{HDP} glazed porcelain floor and wall tile is appropriate for residential and commercial wall, countertop, backsplash, and most floor applications. It is GREENGUARD® and Porcelain Tile Certified and meets the new DCOF AcuTest® requirements to be installed in wet areas.

below: **DIS10 8x48** Wheat



SPIRIT



above: **DIS30 8x48 Spirit**



DIS30 8x48
Spirit



DIS75M10x13TWI
Twist Cool Mix Mosaic
(features Spirit & Proof)

BARLEY



above: **DIS20 8x48** Barley & **DIS20M10x13TWI** Twist Barley Mosaic



DIS20 8x48
Barley



DIS20M10x13TWI
Twist Barley mosaic

PROOF



above: **DIS40 8x48 Proof** & **DIS75M10x13TWI Twist Cool Mosaic**



DIS40 8x48
Proof



DIS75M10x13TWI
Twist Cool Mix Mosaic
(features Spirit & Proof)

WHEAT



above: **DIS10 8x48** Wheat



DIS10 8x48
Wheat



DIS65M10x13TWI
Twist Warm Mix Mosaic
(features Wheat & Malt)

MALT



above: **DIS50 8x48 Malt**



DIS50 8x48
Malt



DIS65M10x13TWI
Twist Warm Mix mosaic
(features Wheat & Malt)

DISTILLERY HDP

High Definition Porcelain



above: **DIS20 8x48** Barley

Porcelain Technical Data	ASTM®	ANSI®	Results ¹
Properties (Floor)			
DCOF AcuTest®²	A137.1	≥ 0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	≥ 250 lbf.	≥ 510 lbf. avg.
Water Absorption	C-373	≤ 0.5%	≤ 0.5% ³
Intended Use⁴	N/A	N/A	Residential Light Commercial Heavy Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Typical Uses

Distillery^{HDP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

note: Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
8x48	20x122	.375	10mm ⁴	Pressed


¹ These values may vary from lot to lot.

² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

⁴ In order to enhance manufacturing efficiencies this product has been modified to a 10mm thickness. During implementation of this modification, some 10.5mm products will remain available. Please confirm the thickness of your product at time of order.

Color Variation



V2 Slight Variation

Clearly distinguishable differences in texture and/or pattern with similar colors.

