EDGE THROUGH BODY PORCELAIN FLOOR & WALL TILE

0

0

floridatile

EDGE

shown on front: 2536E05B1 12x24 Carbon Natural

The Edge collection from Florida Tile fuses the look of stone and cement into an extraordinarily resistant product, able to tolerate the most demanding applications. Contemporary in concept, Edge is produced using proprietary Dual Tech technology to obtain extremely durable through body porcelain floor and wall tile. Edge coordinates well with our popular Time 2.0 line and is well suited for projects of the heaviest commercial traffic such as airports and shopping malls.

Rectified field tiles are available in a variety of sizes and finishes: 24x24 Natural; 12x24 Natural, Polished, and Touch; 3.75x12

Natural and Polished. All field tile, bullnose, and mosaics are available in five colors: Snow, Cream, Silver, Taupe, and Carbon. The three finishes: Natural, Polished, and Touch (a slightly honed texture), make this line extremely versatile for interior or exterior applications.

Edge through body porcelain floor and wall tile is appropriate for residential and commercial wall, countertop, backsplash, and most floor applications. It is GREENGUARD[®] and Porcelain Tile certified.



below: 2566E01B1 24x24 Snow Natural





2513E01B1 3.75x12 Snow Natural

2513E0161 3.75x12

Snow Polished

2536E01B1 12x24 Snow Natural



2566E01B1 24x24 Snow Natural



2536E0161 12x24 Snow Polished



2536E01T1 12x24 Snow Touch



2533E01/M122 Snow Natural 36 pc Mosaic

CREAM



2513E023B1 3.75x12 Cream Natural

2513E0261 3.75x12

Cream Polished

2536E02B1 12x24 Cream Natural



2566E02B1 24x24 Cream Natural



2536E0261 12x24 Cream Polished



2536E02T1 12x24 Cream Touch



2533E02/M122 Cream Natural 36 pc Mosaic

SILVER





2513E03B1 3.75x12 Silver Natural

2513E0361 3.75x12

Silver Polished

2536E03B1 12x24 Silver Natural



2566E03B1 24x24 Silver Natural



2536E0361 12x24 Silver Polished



2536E03T1 12x24 Silver Touch



2533E03/M122 Silver Natural 36 pc Mosaic

TAUPE





2513E04B1 3.75x1 Taupe Natural

2513E0461 3.75x12

Taupe Polished

2536E04B1 12x24 Taupe Natural



2566E04B1 24x24 Taupe Natural



2536E0461 12x24 Taupe Polished



2536E04T1 12x24 Taupe Touch



2533E04/M122 Taupe Natural 36 pc Mosaic

CARBON





2513E05B1 3.75x12 Carbon Natural

2513E0561 3.75x12

Carbon Polished

2536E05B1 12x24 Carbon Natural



2566E05B1 24x24 Carbon Natural



2536E0561 12x24 Carbon Polished



2536E05T1 12x24 Carbon Touch



2533E05/M122 Carbon Natural 36 pc Mosaic

EDGE



above: 2536E02B1 12x24 Cream Natural

Technical Specifications	Results ¹	
ANSI® A326.3 ²	Natural Interior, Wet (IW) Natural Mosaic Interior, Wet Plus (IW+) Polished Interior, Dry (ID) Touch Interior, Dry (ID)	
Surface Hardness	7 Mohs	
Break Strength	≥ 449 lbf. avg.	
Water Absorption	≤ 0.5% ³	
Intended Use ⁴	Residential, Light Commercial & Heavy Commercial	

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the Natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary. ² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
3.75x12	9.5x30	3.26	10.5mm (natural) 10mm (polished)	Rectified
12x24	30x60	.5	10.5mm (natural) 10.5mm (touch) 10mm (polished)	Rectified
24x24	60x60	.25	10.5mm (natural)	Rectified

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose (natural & polished only)		P43N9	3x24	7.5x60

¹These values may vary from lot to lot.

Typical Uses

Edge through body porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation				
	V2 Slight Variation			

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.



www.floridatile.com

floridatile is a registered trademark in the U.S. of Florida Tile, Inc.^o 2022