

floridatile





Shown: NY250 24x24 Tribeca Taupe


No two cities are more symbolic of the modern metropolis than New York and Los Angeles. Inspired by these epicenters of contemporary design and popular culture, NY2LA^{HDP} targets the modern aesthetic. Compelling characteristics of cement and plaster fuse into a porcelain representation of urban sophistication. Graphics are created by hand, starting from recycled pavers and then precisely layering raw elements, sanding, tinting and repeating. The graceful movement of color and subtle texture create a look that is both industrial and urbane.


Color body field tile is available in multiple rectified formats – 3.75x12, 12x24, 24x24 and a waterjet cut Polygon shape that measures 21.5x29.5. Each NY2LA^{HDP} format boasts of gorgeous shade variations in each of the six color choices: Malibu White, Brentwood Beige, Riverside Steel, Tribeca Taupe, Gramercy Gray, and Chelsea Black. Completing the line are bullnose and dot mosaics in each color, and two waterjet cut polygon mosaics that come featured in a warm or cool mix.

Manufactured using proprietary HDP—High Definition Porcelain® printing technology, NY2LA^{HDP} is appropriate for all applications in both residential and commercial settings. It is entirely made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY, of 40% pre-consumer recycled content. It meets the DCOF AcuTest requirements to be installed in wet areas and is GREENGUARD® and Porcelain Tile certified. Incorporated into the tile surface is Microban® antimicrobial technology that works continuously to inhibit bacteria growth, improve visible cleanliness, and reduce odors.



SHADE VARIATION







Shown: NY210 24x24 Malibu White



NY210 3.75x12 Malibu White





NY210 21.5x29.5 Malibu White (waterjet cut)



NY210 24x24 Malibu White



NY210/M122 Malibu White mosaic



NY275/M12POLY Warm Mix Polygon mosaic (waterjet cut)





Shown: NY220 24x24 Brentwood Beige



NY220 3.75x12 Brentwood Beige





Brentwood Beige (waterjet cut)




NY220 24x24 Brentwood Beige



NY220/M122 Brentwood Beige mosaic



NY275/M12POLY Warm Mix Polygon mosaic (waterjet cut)





Shown: NY250 24x24 Tribeca Taupe






NY250 12x24 Tribeca Taupe

NY250 21.5x29.5 Tribeca Taupe (waterjet cut)




NY250 24x24 Tribeca Taupe




NY250/M122 Tribeca Taupe mosaic



NY275/M12POLY Warm Mix Polygon mosaic (waterjet cut)





Shown: NY230 12x24 & 24x24 Riverside Steel



NY230 3.75x12 Riverside Steel



Riverside Steel



Riverside Steel (waterjet cut)



NY230 24x24 Riverside Steel



NY230/M122 Riverside Steel mosaic




NY285/M12POLY Cool Mix Polygon mosaic (waterjet cut)





Shown: NY260 12x24 Gramercy Gray, NY285M12POLY Cool Mix Polygon mosaic (waterjet cut)




NY260 3.75x12 Gramercy Gray

NY260 12x24 Gramercy Gray

NY260 21.5x29.5 Gramercy Gray (waterjet cut)



NY260 24x24 Gramercy Gray



NY260/M122 Gramercy Gray mosaic



NY285/M12POLY Cool Mix Polygon mosaic (waterjet cut)






Shown: NY240 21.5x29.5 Chelsea Black Polygon (waterjet cut), EK7KX07 39x118 Kerlite Exedra Albis glossy by Cotto d'Este USA



NY240 3.75x12 Chelsea Black


Chelsea Black



NY240/M122 Chelsea Black mosaic



NY285/M12POLY Cool Mix Polygon mosaic (waterjet cut)



Shown: NY230 12x24 & 24x24 Riverside Steel



в y floridatile

Typical Uses

NY2LAHDP color body porcelain floor and wall tile is appropriate for all residential and commercial wall, countertop and backsplash applications, all residential and most commercial floor applications.

This collection features patented Microban® technology that consists of treating the ceramic material with a formulated antimicrobial additive capable of expressing high antimicrobial efficacy using established international laboratory protocols.

Notice: Not all flooring products are suitable for wet areas, specialized applications or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI A137.1) for ceramic, stone and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED points and the ANSI approved NAHB Green Building Points.

Properties (Floor)	ASTM	ANSI	Results ¹
DCOF AcuTest ²	A137.1	≥0.42	Pass
Glaze Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbf.	500 lbf. avg.
Water Absorption	C-373	≤0.5%	Conforms

¹ These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

ANSI A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet

Field Tile Nominal Size ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³
3.75" x 12"	9.5 x 30	3.25	10mm
12" x 24"	30 x 60	.5	10mm
24" x 24"	60 x 60	.25	10mm
21.5" x 29.5" (waterjet cut)	54.5 x 75	.389	10mm

These values may vary from lot to lot.

³ May not apply to textured surfaces or tiles with uneven back patterns.

Trim	Shape	SKU	Nominal Size	Metric (cm)
Bullnose		P43N9	3" x 24"	7.5 x 60

Color Variations

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.



Slight Variation

Clearly distinguishable differences in texture, and/or pattern with similar colors.

















must have a minimum wet DCOF AcuTest value of 0.42.

²These values are based on actual sizes including the grout joint.