
ENCHANT HIGH Definition Poicellain*

GLAZED PORCELAIN FLOOR & WALL TILE



floridatile

shown on front: ENC3P 8X24 & 12X24 Beauty & ENC3P/P43C9 Beauty Bullnose

Venture into a world of artistry and elegance with Enchant^{HDP} from Florida Tile. Step back in time - or blaze a path forward with this exquisite representation of regal marbles that blur the secrets of history with the essence of contemporary design. Give into your fantasies and surround yourself with luxury and aspiration that speak confidently of a refined world. Create a space that is at once romantic, serene, and exotic.

This exquisite line of glazed porcelain floor and wall tile brings four stunning marble looks, once only available to the elite few, to the modern market.

Beauty captures the delicate and varied silver tones of linear cut Palissandro marble, a highly sought after and unique material that is mined from centuries-old quarries in the Eastern Alps.

Charm conveys the splendor of Fior di Bosco marble. The varied warm taupe grays, touches of light beige, and striking cream-to-brown veining make this look a visual jewel.

Grace exudes the noble refinement of Crema Marfil marble with a pale beige background and subtle touches of gold, cinnamon, and creamy white.


Honesty is an enchanting dance of soft whites and nebulous grays in a beautiful interpretation of classic white Arabescato marble.

Each color and finish of this line is available in 3.75x12, 8x24, 12x24, and 24x24 formats as well as 3" hexagon mosaics. A 36-piece mosaic comes in the matte finish only. Completing the line are bullnose, ingot listellos, chair rail, and chair rail stop trim pieces in each color.

Enchant^{HDP} glazed porcelain floor and wall tile is appropriate for all residential and commercial wall, countertop, and backsplash applications. Matte finish tiles are appropriate for all residential and most commercial floor applications. With the exception of wet areas, tiles featuring the polished finish are suitable for most residential floor applications. All matte finished tiles, mosaics, and trim pieces in this line are produced in the USA at our Green Squared[®] certified Advanced Manufacturing Center located in Lawrenceburg, KY. These contain up to 40% preconsumer recycled content and are GREENGUARD[®] and Porcelain Tile certified.




COLOR VARIATION





ENC10 24x24 Matte ENC1P 24x24 Polished (not shown)





ENC10 12x24 Matte ENC1P 12x24 Polished (not shown)



ENC10 3.75x12 Matte ENC1P 3.75x12 Polished (not shown)





ENC10/M122 36pc Mosaic (matte only)



ENC1G/CR2x12 & CRS2x1 Chair Rail & Chair Rail Stop (glossy ceramic)



ENC1G/L2.4x12 Ingot Listello (glossy ceramic)



ENC10/M3x3HEX Matte ENC1P/M3x3HEX Polished (not shown) Hexagon Mosaic







ENC20 24x24 Matte ENC2P 24x24 Polished (not shown)



ENC20 8x24 Matte ENC2P 8x24 Polished (not shown)



ENC20 12x24 Matte ENC2P 12x24 Polished (not shown)



ENC20 3.75x12 Matte ENC2P 3.75x12 Polished (not shown)





ENC20/M122 36pc Mosaic (matte only)



ENC2G/CR2x12 & CRS2x1 Chair Rail & Chair Rail Stop (glossy ceramic)





ENC20/M3x3HEX Matte ENC2P/M3x3HEX Polished (not shown) Hexagon Mosaic







ENC30 24x24 Matte ENC3P 24x24 Polished (not shown)



ENC30 8x24 Matte ENC3P 8x24 Polished (not shown)



ENC30 12x24 Matte ENC3P 12x24 Polished (not shown)



ENC30 3.75x12 Matte ENC3P 3.75x12 Polished (not shown)





ENC30/M122 36pc Mosaic (matte only)



ENC3G/CR2x12 & CRS2x1 Chair Rail & Chair Rail Stop (glossy ceramic)



Ingot Listello (glossy ceramic)



ENC30/M3x3HEX Matte ENC3P/M3x3HEX Polished (not shown) Hexagon Mosaic











ENC40 8x24 Matte ENC4P 8x24 Polished (not shown)



ENC40 12x24 Matte ENC4P 12x24 Polished (not shown)



ENC40 3.75x12 Matte ENC4P 3.75x12 Polished (not shown)





ENC40/M122 36pc Mosaic (matte only)



ENC4G/CR2x12 & CRS2x1 Chair Rail & Chair Rail Stop (glossy ceramic)



Ingot Listello (glossy ceramic)



ENC40/M3x3HEX Matte ENC4P/M3x3HEX Polished (not shown) Hexagon Mosaic





ENCHANTHOP High Definition Porceloin



GLAZED PORCELAIN FLOOR & WALL TILE



Field Tile Nominal Size ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³
3.75 x 12	9.5 x 30	3.25	10mm
8 x 24	20 x 60	.75	10mm
12 x 24	30 x 60	.5	10mm
24 x 24	60 x 60	.25	10mm

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size	Metric (cm)	
Bullnose (matte & polished)		P43C9	3 x 12	7.5 x 30	
Porcelain Techn Properties (Floor)	ical Data	ASTM®	ANSI®	Results ¹ matte	Results ¹ polished
DCOF AcuTest®2		A137.1	≥0.42	Pass	Not Pass
Surface Hardness		Mohs Scale	N/A	7 Mohs	6 Mohs
Break Strength		C-648	≥250 lbf.	396 lbf. avg.	600 lbf. avg.
Water Absorption		C-373	<0.5%	<0.5% ³	<0.5%³
Visual Abrasion Resistance		C-1027	As Reported⁴	Class III & IV⁵	Class II & III ⁶

These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have

Color Variations

Color, texture, and finish variations may occur due to the nature of the product.

Note: Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.


Typical Uses

 ${\sf ENCHANT^{HDP}}\ glazed\ porcelain\ floor\ and\ wall\ tile\ is\ appropriate$ for all residential and commercial wall, countertop, and backsplash applications. Matte finish tiles are appropriate for all residential and most commercial floor applications. With the exception of wet areas, tiles featuring the polished finish are suitable for most residential floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and ANSI® approved NAHB® Green Building Points.



















www.floridatile.com

a minimum wet DCOF AcuTest® value of 0.42. Average Production Value.

Class 0 Not recommended for floors, Class I Light Residential, Class II Residential, Class III Heavy Residential or Light

Commercial, Class IV Commercial, Class V Heavy Commercial.

5 Class III: Beauty, Charm & Grace. Class IV: Honesty (matte).

6 Class II: Charm. Class III: Beauty, Grace & Honesty (polished).