GLAZED PORCELAIN FLOOR & WALL TILE

.

floridatile

shown on front: 89103 12x24 Quarry

The Westmont^{HDP} collection from Florida Tile is a classic stone look that offers a pleasing combination of design, versatility, and value. This archetypal composition with its natural color hues creates a product line with broad appeal. It fits seamlessly into a wide array of designs and installations that will withstand the test of time.

The neutral color palette includes Quarry – a light gray, Sand – a soft beige, and Clay – a warm tan. Field tile in pressed 12x12 and 12x24 formats, as well as a 25-piece mosaic, and 3x12 bullnose are available in all colors.

Westmont^{HDP} is appropriate for most applications in both residential and commercial settings. It is made in the USA in our Green Squared[®] certified Advanced Manufacturing Center in Lawrenceburg, KY, includes pre-consumer recycled content, and is GREENGUARD[®] and Porcelain Tile certified.

SAND



89132 12x24 Sand



89132 12x12 Sand



89132/M12 Sand 25pc





89123 12x24 Clay



89123 12x12 Clay



89123/M12 Clay 25pc





89103 12x24 Quarry



89103 12x12 Quarry



89103/M12 Quarry 25pc

WESTMONT HDP:



above: 89132 12x12 Sand

Technical Speciciations	Results
ANSI® A326.3 ²	Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 260 lbf. avg.
Water Absorption	≤ 0.5% ³
Intended Use ⁴	Residential & Light Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
12x12	30x30	1	8mm	Pressed
12x24	30x60	.5	9mm	Pressed

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43C9	3x12	7.5x30

¹ These values may vary from lot to lot.

Typical Uses

Westmont^{HDP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variatior	1
	V2 Slight Variation Clearly distinguishable differences in texture and/or pattern with similar colors.

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.



www.floridatile.com

floridatile is a registered trademark in the U.S. of Florida Tile, Inc.^o 2022