UNGLAZED PORCELAIN FLOOR & WALL TILE



MEMORABLE

shown on front: B678.0040.001K 24x36 White Texture (wall only) & B615.0052.003K 24x24 Grey (other formats: color reference only)

Memorable takes us on a journey through times past with recollections of treasured places. Boasting the elemental and rustic feel of natural stone, it fuses traditional and contemporary styles. Its worn texture and unique structure add personality and warmth to any space.

Rectified field tiles in a matte finish are available in 12x24 and 24x24 sizes. A decorative wall tile featuring a novel, threedimensional texture is available as a rectified 24x36. A 25-piece mosaic and 3x24 bullnose complete the line. Each format is available in three complex colors featuring multifaceted depths in the visual design: White - a light putty with layers of grey and undertones of warm ivory; Grey - a medium grey with elements of copper and khaki; and Taupe – a soft fawn with additions of medium brown and grey.

Memorable is GREENGUARD[®] and Porcelain Tile certified. The 12x24 and 24x24 unglazed porcelain floor and wall formats are appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. The 24x36 textured wall format is appropriate for most residential and commercial wall applications. Incorporated into the tile surface is Microban[®] antimicrobial technology that works continuously to inhibit bacteria growth, improve visible cleanliness, and reduce odors.





B631.0024.001K 12x24





MEM10/M12 25pc Mosaic



B678.0040.001K 24x36 Texture (wall only)





B631.0024.005K 12x24



B615.0052.005K 24x24



MEM20/M12 25pc Mosaic



B678.0040.005K 24x36 Texture (wall only)





B631.0024.003K 12x24



B615.0052.003K 24x24



MEM30/M12 25pc Mosaic



B678.0040.003K 24x36 Texture (wall only)







MEMORABLE





above: White (color reference only)

Porcelain Floor Technical Specifications	Results
ANSI A326.3 ²	Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 428 lbf. avg.
Water Absorption	≤ 0.5% ³
Intended Use ⁴	Residential & Light Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary. ² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
12x24	30x60	.5	8mm	Rectified
24x24	60x60	.25	8mm	Rectified
24x36 Texture (wall only)	60x90	.17	8mm	Rectified

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43N9	3x24	7.5x60

¹These values may vary from lot to lot.

Typical Uses

Memorable 12x24 and 24x24 unglazed porcelain floor and wall formats are appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. The 24x36 textured wall format is appropriate for most residential and commercial wall applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation		
	V4 Random Variation	

Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

www.floridatile.com



floridatile is a registered trademark in the U.S. of Florida Tile, Inc.^o 2022