SONGBIRD CERAMIC WALL TILE



SONGBIRD

shown on front: SBD10 3x12 Whistling White, SBD30 3x12 Natural Down & SBD40 3x12 Nest Beige

Songbird from Florida Tile exhibits the look of handcrafted tiles inspired by a joyful, soaring journey through nature. Subtle undulations in the surface are reminiscent of rippling water, drawing your eye, and creating a sense of calm. Soft tones of organic colors pay homage to retro styles from decades past, while finding new appreciation in modern spaces. Classic neutrals and head-turning fashion colors can be coordinated to create harmonious patterns, allowing your style statement to take flight. Pressed 3x12 and 5x5 ceramic wall tiles are available in ten lovely hues featuring a glossy finish: Whistling White, Quill Grey, Natural Down, Nest Beige, Perched Pink, Plumage Dark Pink, Birds Eye Blue, Nocturnal Navy, Gliding Green, and Feathered Dark Green.

Songbird ceramic wall tile is appropriate for all interior, residential and commercial, wall and backsplash applications. It is GREENGUARD[®] certified.



FORMATS



COLORS



Whistling White



Natural Down



Perched Pink



Birds Eye Blue



Gliding Green





Nest Beige



Plumage Dark Pink



Nocturnal Navy



Feathered Dark Green

NEUTRALS



SBD10 Whistling White



SBD20 Quill Grey



above: SBD10 3x12 Whistling White, SBD30 3x12 Natural Down & SBD40 3x12 Nest Beige





SBD40 Nest Beige

SBD30 Natural Down



FASHION COLORS



SBD50 Perched Pink

below: SBD60 3x12 Plumage Dark Pink & SBD10 5x5 Whistling White









SBD60 Plumage Dark Pink





SBD70 Birds Eye Blue



above: SBD10 5x5 Whistling White, SBD20 3x12 Quill Grey, SBD70 3x12 Birds Eye Blue & SBD80 3x12 Nocturnal Navy



SBD80 Nocturnal Navy





SBD90 Gliding Green

below: SBD100 3x12 Feathered Dark Green







SBD100 Feathered Dark Green



SONGBIRD





above: SBD10 5x5 Whistling White, SBD20 3x12 Quill Grey, SBD70 3x12 Birds Eye Blue & SBD80 3x12 Nocturnal Navy

Technical Specifications	Results ¹
Surface Hardness	5 Mohs
Break Strength	≥ 125 lbf. avg.
Water Absorption	≥ 10% ²

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² Average production value.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
3x12	7.62x30.4	4	8.5mm	Pressed
5x5	12.7x12.7	5.5	8.5mm	Pressed

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Typical Uses

Songbird ceramic wall tile is appropriate for most residential and commercial wall, countertop, and backsplash applications.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Color Variation



Color, texture, and finish variations may occur due to the nature of the product.

Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

