# TEMPO

GLAZED PORCELAIN FLOOR & CERAMIC WALL TILE



shown on front: TMP30P 24x48 Ash Cool Gray (polished) & TMP40P 24x48 Dark Gray (polished)

Tempo from Florida Tile is inspired by the blending of natural stones to create truly unique visuals. Elements of Basalt Stone, Imperial Marble, and Pulpis Spanish Marble are thoughtfully layered together creating intricate soft veining and harmonious movement throughout the surface.

Four captivating color options include: Cotton White – a soft but stately blend of ivory, gold, and light gray; Nature Beige – a delicate beige base infused with striking slivers of brown, gray, and cream; Ash Cool Gray – a base of medium gray with tranquil currents of charcoal and ivory; and Dark Gray - a delicate interlacing of charcoal, brown, copper and ivory over a bed of dark gray.

Porcelain field tile formats include: 12x24, 24x24, and 24x48 available in a matte or polished finish. A 12x35 glossy ceramic wall option adds a distinctive element to this collection with a choice between flat and three-dimensional "curve" designs. Further elevating the collection is a chic oval mosaic in a polished finish that creates a stunning point of interest. Complementing these voguish decorative elements with a classic style is a 36-piece mosaic in a matte finish. Rounding out the collection is a 3x24 bullnose in all colors and both finishes.

Tempo glazed porcelain floor tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. Tempo ceramic wall tile is appropriate for most interior residential wall and backsplash applications.

below: TMP30P 24x24 Ash Cool Gray (polished) & TMP10PC 12x35 Cotton White (glossy ceramic curve)



### **COLOR VARIATION**

Formats Available: 12x24, 12x35 (ceramic), 24x24, 24x48, M122 & M2x8OVAL

### COTTON WHITE









NATURE BEIGE









ASH COOL GRAY









DARK GRAY









### COTTON WHITE



TMP10 24x48 Cotton White TMP10P 24x48 Cotton White (polished)



TMP10 24x24 Cotton White TMP10P 24x24 Cotton White (polished)



TMP10 12x24 Cotton White TMP10P 12x24 Cotton White (polished)



**TMP10/M122** Cotton White 36pc Mosaic (matte only)



TMP10P/M2x8OVAL Cotton White 8pc Oval (polished only)



TMP10P 12x35 Cotton White (glossy ceramic)



**TMP10PC 12x35** Cotton White (glossy ceramic curve)



### NATURE BEIGE



TMP20 24x48 Nature Beige TMP20P 24x48 Nature Beige (polished)



TMP20 24x24 Nature Beige TMP20P 24x24 Nature Beige (polished)



TMP20 12x24 Nature Beige TMP20P 12x24 Nature Beige (polished)



**TMP20/M122** Nature Beige 36pc Mosaic (matte only)



**TMP20P/M2x8OVAL** Nature Beige 8pc Oval (polished only)



**TMP20P 12x35** Nature Beige (glossy ceramic)



TMP20PC 12x35 Nature Beige (glossy ceramic curve)



### ASH COOL GRAY



TMP30 24x48 Ash Cool Gray
TMP30P 24x48 Ash Cool Gray (polished)



TMP30 24x24 Ash Cool Gray
TMP30P 24x24 Ash Cool Gray (polished)



TMP30 12x24 Ash Cool Gray
TMP30P 12x24 Ash Cool Gray (polished)



**TMP30/M122** Ash Cool Gray 36pc Mosaic (matte only)




TMP30P/M2x80VAL Ash Cool Gray 8pc Oval (polished only)



TMP30P 12x35 Ash Cool Gray (glossy ceramic)



TMP30PC 12x35 Ash Cool Gray (glossy ceramic curve)



## DARK GRAY



TMP40 24x48 Dark Gray
TMP40P 24x48 Dark Gray (polished)



TMP40 24x24 Dark Gray
TMP40P 24x24 Dark Gray (polished)



TMP40 12x24 Dark Gray
TMP40P 12x24 Dark Gray (polished)



**TMP40/M122** Dark Gray 36pc Mosaic (matte only)



TMP40P/M2x8OVAL Dark Gray 8pc Oval (polished only)





above: TMP40P 24x48 Dark Gray (polished), TMP20 24x48 Nature Beige & TMP20P 24x48 Nature Beige (polished)

Porcelain Technical Specifications	Results <sup>1</sup>	
ANSI® A326.3 <sup>2</sup>	Matte Interior, Wet Plus (IW+) Polished Interior, Dry (ID)	
Surface Hardness	7 Mohs	
Break Strength	≥ 475 lbf. avg.	
Water Absorption	≤ 0.5%³	
Intended Use <sup>4</sup>	Residential, Light Commercial & Heavy Commercial	

<sup>&</sup>lt;sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>&</sup>lt;sup>4</sup> Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>	Edge
12x24	30x60	.5	9.5mm	Rectified
12x35 <sup>4</sup>	30x90	.34	8mm	Rectified
24x24	60x60	.25	9.5mm	Rectified
24x48	60x120	.129	9.5mm	Rectified

<sup>&</sup>lt;sup>1</sup>These values may vary from lot to lot.

<sup>&</sup>lt;sup>4</sup> Glossy ceramic. Not available in Dark Gray.

Trim	Shape	Sku	Nominal Size (in) <sup>1</sup>	Metric (cm)
Bullnose		P43N9	3x24	7.5x60

<sup>&</sup>lt;sup>1</sup>These values may vary from lot to lot.

### **Typical Uses**

Tempo glazed porcelain floor tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. Tempo ceramic wall tile is appropriate for most interior residential wall and backsplash applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

### **Color Variation**



### V2 Slight Variation

Clearly distinguishable differences in texture and/or pattern with similar colors.

Color, texture, and finish variations may occur due to the nature of the product.

### Notes:

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.











<sup>&</sup>lt;sup>2</sup> For more information, visit floridatile.com/productuseclassifications.

<sup>&</sup>lt;sup>3</sup> Average production value.

<sup>&</sup>lt;sup>2</sup>These values are based on actual sizes including the grout joint.

<sup>&</sup>lt;sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.