

PRECIOUS

GLAZED PORCELAIN & CERAMIC WALL TILE

floridatile



ESSENCE OF NATURAL MARBLE

shown on front: **35001 12x24** Calacatta & **B635.0078.0951 (35001) 14x39** Calacatta (ceramic wall)

From the exquisite beauty of Calacatta marble emerges Precious, from Florida Tile that captures the essence of the most sought-after natural stone in the world. Inspired by the unique marked graphics in the Italian stone, Precious is a distinct expression of refined taste.

Intense gray veins stand out from the crystalline white background endowing it with a depth and movement that enlivens spaces. The random pattern, the structured surfaces of the decors, and the natural and polished finishes are elements that elevate any atmosphere – classical or modern.

Rectified, porcelain floor tiles in a natural finish are available in 12x24. Rectified, ceramic wall tiles in a polished finish are available in 5x14 (cut), 14x27, and 14x39. Two mosaics: a 12x12 made of

ceramic wall tile showcasing a modern mix of the polished and matte finishes combined in an elongated hexagon pattern, and a 12x12 herringbone pattern in natural finish suitable for wall or floor, provide endless design options.

Precious also features a 14x27 ceramic wall deco with a chic, three-dimensional wave pattern in a polished finish, adding a bold twist to the classic Calacatta stone look. Trims including bullnose for floor walls and corner complete this line.

With the exception of select trim, decorative and ceramic pieces, Precious is made in the USA of pre-consumer recycled content, is GREENGUARD® and Porcelain Tile certified.

below: **35001** Calacatta (for color reference only)



PRECIOUS

GLAZED PORCELAIN & CERAMIC WALL TILE

MARBLE

COLORS



Calacatta



Calacatta (ceramic wall)

FIELD TILE FORMATS

12x24



5x14
(ceramic wall)
(glossy)



14x27
(ceramic wall)
(glossy)




14x39
(ceramic wall)
(glossy)



MOSAICS




35001/M1x4HER
Calacatta Herringbone
(matte only)



B663.0092.0011
(35001)/M12HEX
Calacatta Hexagon
(ceramic wall)
(matte & glossy mix)
IMPORTED ITEM

TRIMS



P43C9 3x12
Bullnose



S43E9 3x14
Bullnose (ceramic wall)




SN4339 3x3
Outside Corner (ceramic wall)



PORCELAIN



35001 12x24
Calacatta




35001/M1x4HER
Herringbone Mosaic

GLOSSY CERAMIC WALL



B635.0078.0951
(35001) 14x39
Calacatta
IMPORTED ITEM



B629.0128.0951
(35001) 14x27
Calacatta
IMPORTED ITEM



B639.0113.0951
(35001) 5x14
Calacatta
IMPORTED ITEM



B629.0131.0011
(35001D) 14x27
Curl Deco
IMPORTED ITEM



B663.0092.0011
(35001)/M12HEX
Calacatta Hexagon Mosaic
(matte & glossy mix)
IMPORTED ITEM

left: **B639.0113.0951 (35001) 5x14** Calacatta (ceramic wall) (other formats: color reference only)





above: **B629.0128.0951 (35001) 14x27** Calacatta (ceramic wall) & **B629.0131.0011 (35001D)/14x27** Curl Deco (ceramic wall)

left: **B663.0092.0011 (35001)/M12HEX** Calacatta Hexagon Mosaic

PRECIOUS

GLAZED PORCELAIN & CERAMIC WALL TILE



Porcelain Technical Data		Results ¹
Properties (Floor)		
ANSI® A326.3²		Interior, Wet Plus (IW+)
Surface Hardness		7 Mohs
Break Strength		≥ 440 lbf. avg.
Water Absorption		≤ 0.5% ³
Intended Use⁴		Residential & Light Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

⁴ Please visit [www.floridatile.com/intended-use](http://floridatile.com/intended-use) for further details.

Typical Uses

Precious glazed porcelain floor tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. Ceramic wall tile is appropriate for interior wall, countertop, and backsplash applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
5x14 (ceramic wall)	12.7x35	2.21	8mm	Cut ⁴
12x24	30x60	.53	9mm	Rectified
14x27 (ceramic wall)	35x70	.38	8mm	Rectified
14x27D (ceramic wall)	35x70	.38	8mm	Rectified
14x39 (ceramic wall)	35x100	.27	8mm	Rectified

Mosaic	Sku	Nominal Sheet Size (in) ¹	Metric (cm)	Thickness ³
Herringbone	M1x4HER	12x15	30x38	9mm
Hexagon (ceramic wall)	M12HEX	12x12	30x30	8mm

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43C9	3x12	7.5x30
Bullnose (ceramic wall)		S43E9	3x14	7.5x35
Outside Corner (ceramic wall)		SN4339	3x3	7.5x7.5

¹ These values may vary from lot to lot.

² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

⁴ In order to provide as many size formats as possible, some sizes may be originally pressed as larger formats and then professionally cut to size.

Notes

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color Variation



V2 Slight Variation



*porcelain only