

TEMPO

GLAZED PORCELAIN

floridatile



NATURAL STONE LOOK

shown on front: **TMP30P 24x48** Ash Cool Gray (polished) & **TMP40P 24x48** Dark Gray (polished)

Tempo from Florida Tile is inspired by the blending of natural stones to create truly unique visuals. Elements of Basalt Stone, Imperial Marble, and Pulpis Spanish Marble are thoughtfully layered together creating intricate soft veining and harmonious movement throughout the surface.

Four captivating color options include: Cotton White – a soft but stately blend of ivory, gold, and light gray; Nature Beige – a delicate beige base infused with striking slivers of brown, gray, and cream; Ash Cool Gray – a base of medium gray with tranquil currents of charcoal and ivory; and Dark Gray – a delicate interlacing of charcoal, brown, copper and ivory over a bed of dark gray.

Porcelain field tile formats include: 12x24, 24x24, and 24x48 available in a matte or polished finish. Further elevating the collection is a chic oval mosaic in a polished finish that creates a stunning point of interest. Complementing these voguish decorative elements with a classic style is a 36-piece mosaic in a matte finish. Rounding out the collection is a 3x24 bullnose in all colors and both finishes.

Tempo glazed porcelain tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

below: **TMP20 24x48** Nature Beige & **TMP20P 24x48** Nature Beige (polished)



TEMPO

GLAZED PORCELAIN

STONE

COLORS



TMP10
TMP10P Polished
Cotton White



TMP20
TMP20P Polished
Nature Beige




TMP30
TMP30P Polished
Ash Cool Gray



TMP40
TMP40P Polished
Dark Gray


FIELD TILE FORMATS



MOSAICS



TMP20/M122
Nature Beige 36pc
(matte only, available in all colors)



TMP30P/M2X8OVAL
Ash Cool Gray Oval (polished)
(polished only, available in all colors)

TRIMS




P43N9 3x24
Bullnose

COTTON WHITE



TMP10
TMP10P Polished
Cotton White

FIELD TILE FORMATS



12x24 24x24 24x48

MOSAICS



TMP10/M122
Cotton White 36pc
(matte only)



TMP10P/M2X8OVAL
Cotton White Oval (polished)
(polished only)

right: **TMP10P 24x48** Cotton White (polished)




NATURE BEIGE



TMP20
TMP20P Polished
Nature Beige

FIELD TILE FORMATS



12x24 24x24 24x48

MOSAICS



TMP20/M122
Nature Beige 36pc
(matte only)



TMP20P/M2X8OVAL
Nature Beige Oval (polished)
(polished only)




ASH COOL GRAY



TMP30
TMP30P Polished
Ash Cool Gray

FIELD TILE FORMATS



12x24 24x24 24x48

MOSAICS



TMP30/M122
Ash Cool Gray 36pc
(matte only)




TMP30P/M2X8OVAL
Ash Cool Gray Oval (polished)
(polished only)

right: **TMP30P/M2x8OVAL** Ash Cool Gray (polished)




DARK GRAY




TMP40
TMP40P Polished
Dark Gray

FIELD TILE FORMATS



MOSAICS



TMP40/M122
Dark Gray 36pc
(matte only)



TMP40P/M2X8OVAL
Dark Gray Oval (polished)
(polished only)

right: TMP40P/M2x8OVAL Dark Gray (polished)



TEMPO

GLAZED PORCELAIN



| Porcelain Technical Data | Results ¹ |
|---------------------------|---|
| Properties (Floor) | |
| ANSI® A326.3 ² | Matte Interior, Wet Plus (IW+) Polished Interior, Dry (ID) |
| Surface Hardness | 7 Mohs |
| Break Strength | ≥ 475 lbf. avg. |
| Water Absorption | ≤ 0.5% ³ |
| Intended Use ⁴ | Residential, Light Commercial & Heavy Commercial |

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.


⁴ Please visit www.floridatile.com/intended-use for further details.

Typical Uses

Tempo glazed porcelain tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

| Field Tile Nominal Size (in) ¹ | Metric (cm) | Pcs./Sq Ft ² | Thickness ³ | Edge |
|--|---|---|-----------------------------------|------------------------|
| 12x24 | 30x60 | .5 | 9.5mm | Rectified |
| 24x24 | 60x60 | .25 | 9.5mm | Rectified |
| 24x48 | 60x120 | .129 | 9.5mm | Rectified |
| Mosaic | Sku | Nominal Sheet Size (in) ¹ | Metric (cm) | Thickness ³ |
| 36pc ⁴ | M122 | 12x12 | 30x30 | 9.5mm |
| Oval ⁵ | M2x8OVAL | 9x15 | 22x38 | 9.5mm |
| Trim | Shape | Sku | Nominal Size (in) ¹ | Metric (cm) |
| Bullnose |  | P43N9 | 3x24 | 7.5x60 |

Notes

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color Variation



V2 Slight Variation

¹ These values may vary from lot to lot.

² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

⁴ Matte only.

⁵ Polished only.

